


## Press article for EMO 2019 in Hanover:



The Assfalg company expands its production and shows the **stone vibration deburring and slide grinding machine TV 95-SL** at EMO 2019.



**The stone vibration deburring and slide grinding machine TV 95-SL.** The machine deburrs and rounds edges lightly from smaller workpieces made of alu, non-ferrous metal, steel, stainless steel and plastics. The TV 95-SL is a compromise between huge industrial finishing machines and slide grinding systems for small series. The trough volume has a capacity of 95l. There is a timer and the intensity is adjustable. Furthermore a noise protection cover enables a low-noise working. Assfalg has built up its first demonstration centre in Schwäbisch Gmünd. The customers can test their unprocessed workpieces, also possible in bigger processing facilities like the rotary vibrators from Assfalg (which are available at site), with different compounds.



This extra service offers the customers a coordinated and reliable processing for their individual needs and requirements.

## ADVANTAGES

- Simple emptying via an outlet at the side of the machine
- Quiet due to noise protection hood
- With timer
- With integrated water tank for wet processing
- Sturdy long life construction with plastic-coated steel trough inside
- Mobile at any time by means of rollers on the underside
- Mixture ratio (grinding tool : workpieces) 7:1 to 3:1
- Optional with separator, paper filter and centrifuge

**For a perfect surface smoothing a few factors are to consider:**

1. Which slide grinding machine is used?
2. Which processing time is set?

3. Which grinding tools have the best technical conditions to get the required surface?

*We are looking forward to your visit in HALL 11 / F20 !*  
*Your Assfalg -Team*